

Metro



estudiocerámico
change to be exclusive



Metro

Las baldosas Metro están inspiradas en el estilo icónico de las paredes de las estaciones de metro de Londres y Nueva York y son ideales para unas estancias modernas y contemporáneas.

Estos azulejos son intemporales, estas baldosas de estilo de metro son perfectas para usar en cualquier lugar, incluyendo cocinas y baños. Úselo de forma trabada, o para un estilo más interesante, en un estilo vertical o lineal.

Metro tiles are styled on the iconic look of walls of the London and New York City subway stations and are ideal for a modern and contemporary setting.

These tiles are timeless, these subway style tiles are perfect to use anywhere including kitchens and bathrooms. Use in a brick bond fashion, or for a more intriguing look, in a vertical or linear style.



Metro

White Glossy

Black Glossy

7,5 x 15 cm / 3" x 6"

7,5 x 30 cm / 3" x 12"



Metro

Black Glossy
7,5 x 15 cm / 3" x 6"





Metro

White Glossy
7,5 x 15 cm / 3" x 6"



Metro

White Glossy
7,5 x 30 cm / 3" x 12"





Metro

White Glossy
7,5 x 15 cm / 3" x 6"



Metro

White Matt

7,5 x 30 cm / 3" x 12"




Metro


Black Glossy
7,5 x 15 cm / 3" x 6"




Gama de colores / Color Range




E230879 White Glossy
7,5 x 15 cm / 3"x 6"
7 mm espesor / thickness




E230885 White Glossy
7,5 x 30 / 3"x 12"
7 mm espesor / thickness




E230881 White Matt
7,5 x 15 / 3"x 6"
7 mm espesor / thickness



E230887 White Matt
7,5 x 30 / 3"x 12"
7 mm espesor / thickness



E230883 Black Glossy
7,5 x 15 / 3"x 6"
7 mm espesor / thickness



E230889 Black Glossy
7,5 x 30 / 3"x 12"
7 mm espesor / thickness

Información Técnica / Technical Information

ENSAYO / TEST	DESCRIPCIÓN / DESCRIPTION	RESULTADO / RESULT	NORMA / STANDARD
Dimensiones / Dimensions	Largo / Length	+ - 0,4	UNE EN ISO 10545-2
Planaridad / Surface flatness	-	<0.3%	UNE EN ISO 10545-2
Absorción de agua / Water absorption	-	>10%	UNE EN ISO 10545-3
Resistencia al rayado / Scratch hardness	Brillo / Glossy	3	EN-101
	Mate / matt	4	
Resistencia al cuarteo / crack resistance	-	Cumple / Accomplish	UNE EN ISO 10545-11
Resistencia química / Chemical resistance	-	GLA	UNE EN ISO 10545-13
Resistencia a las manchas / Stain resistance	-	5	UNE EN ISO 10545-14

Embalaje / Packaging

88,8	90	12,6	27,78	75	1,01	75,93	7,5x15	•	•								•	•	
44,4	60	16,8	37,04	55	1,35	74,25	7,5x30	•	•								•	•	

Red Internacional / World Network



estudiocerámico
change to be exclusive

Partida Rachina s/n, 12130 - San Juan de Moró (Castellón) - España

Tlf.:964 328 187

recepcion@estudioceramico.es - www.estudioceramico.es

